
V. 02/23

Ag7010

High power, Non-isolated, DC-DC Converter Module



- Input Voltage Range 6Vdc 26Vdc
- Adjustable output voltage in the range 3Vdc - 12Vdc
- High power 120W, 10A output
- Non-isolated
- **High Efficiency DC/DC Conversion**
- Low Noise/Ripple
- PMbus (I²C) control & monitoring •
- **Under Voltage Lock Out**
- **Short Circuit & Thermal Protection**
- Industrial Temperature Range -40°C to +85°C
- Low Profile SMT package -37mm(L) x 14mm(W) x 7mm(H)
- Simple to implement, easy to use

The Ag7010 module is a high power Buck Converter Module optimised to work with USB-C (PD) voltages (9V/15V or 20V). It is a non-isolated product with a single, low noise, low ripple output capable of delivering 120W @ 10A. Conversion efficiency is typically 95% providing an energy efficient means of

deriving the desired output voltage. The module is ideal for applications including Monitors/TV's, Bluetooth Speakers, Gaming Consoles, 2D & 3D Scanners and Printers, Routers, Network Switches and Modems.

Other applications include as an endpoint converter for distributed 12/24V for cameras, monitoring systems and industrial applications.

The Aq7010 incorporates overcurrent/short circuit and thermal protection. Access to an on-board PMbus (I²C) interface allows intelligent control and monitoring of the supply. An Under Voltage Lock Out feature ensures that the module does not incur damage from 'out of range' input voltages.

The Ag7010 is supplied in an extremely compact, lead-less packaging format, designed to be surface-mounted thereby enabling efficient heat transfer.

The Ag7010 is a flexible, simple to use DC/DC Buck Converter solution providing an efficient means of deriving a stable, high power, low noise supply to your product. Coupled with intelligent control and monitoring the Ag7010 provides costeffective, feature-rich functionality.

To register interest, more information and samples contact your local Silvertel Authorised Distributor - details available at www.silvertel.com under the "World Sales & Contact" tab.



Telephony & Power Solution Modules

http://www.silvertel.com/



Note: The device specifications are based on preliminary data and are subject to change. Contact Silver Telecom Representative for up-to-date information. Singel 3 | B-2550 Kontich | Belgium | Tel. +32 (0)3 458 30 33 | info@alcom.be | www.alcom.be Rivium 1e straat 52 | 2909 LE Capelle aan den lissel | The Netherlands | Tel. +31 (0)10 288 25 00 | info@alcom.nl | www.alcom.nl