

DLAP-401-Xavier

Edge AI Platform Powered by
 NVIDIA® Jetson AGX Xavier™



Features

- Deep learning acceleration with NVIDIA® Jetson AGX Xavier™ SOM
- Linux® Ubuntu operating system
- High performance yet energy efficient
- Support wide operating temperature
- Compact, durable and fanless design for 24/7 operation
- Wide variety of industrial I/O ports and visual inferencing capabilities

DLAP-401-Xavier			
System		Power Supply	
GPU	512-core Volta™ GPU with 64 Tensor Cores	DC Input	24V
CPU	8-core ARM® v8.2 64-bit	AC Input	160W power adapter
RAM	32GB	Mechanical	
Storage	32GB eMMC	Dimensions (W x D x H)	150mm x 145mm x 85mm
OS	Linux® Ubuntu	Weight	TBD
Front Panel I/O Ports		Mounting	Wall mountable
Button	1 power, 1 reset, 1 recovery	SMA Antenna Connector	2
USB	3 USB 3.1 Gen. 1 Type-A (lockable)	Environmental	
eSATA	1	Operating Temperature	-20°C ~ +60°C
Side Panel I/O Ports		Operating Humidity	~95% @40°C (non-condensing, optional with fanless solution)
HDMI	1	Storage Temperature	-40°C ~ +85°C
USB	1 USB 3.1 Type-C	Vibration	Operating 1Grms, 5-500Hz, 3 axes w/ mSATA
Ethernet	2 10/100/1000Mbps Ethernet	Shock	Operating 20G, half sine 11ms duration w/ mSATA
CAN Bus	1 (2.0b)		
Extension Slots			
M.2	M.2 B key 2242 (SATA SSD)/M.2 B key 3042 (LTE) M.2 E key 2230 (Wi-Fi)		
IMU	Optional BMI160		

Ordering Information

DLAP-401-Xavier	Powered by NVIDIA® Jetson AGX™
Remote Device Management	Start managing the device remotely on one centralized cloud portal by opening "Allxon Device Management" on the device desktop or simply visit Allxon DMS Portal: https://dms.allxon.com

All products and company names listed are trademarks or trade names of their respective companies. Updated Jul. 19, 2022. ©2022 ADLINK Technology, Inc. All Rights Reserved. All pricing and specifications are subject to change without further notice.

www.adlinktech.com