

## General Display

### Industry Leadership Through Expertise

Our general displays provide ultra high resolutions, sunlight readability, and long product life Applications include ATMs, POS, kiosks, industrial computers, security monitors, entertainment machines, medical equipment, factory automation, inflight entertainment, and marine displays. We also provide customized designs and integrated touch solutions to enhance your competitive advantages.

Consumer Display / Retail Display / Entertainment Display /

Industrial Display / Transportation Display

○

Model	Resolution (pixel)	Brightness (cd/m <sup>2</sup> )	Contrast Ratio
-------	-----------------------	------------------------------------	----------------

2.7" QVGA	320 x 240	310	400:1
-----------	-----------	-----	-------

3.0" VGA	640 x 480	640	1000:1
----------	-----------	-----	--------

3.5" QVGA	320 x 240	500	300:1
-----------	-----------	-----	-------

Model	Resolution (pixel)	Brightness (cd/m <sup>2</sup> )	Contrast Ratio
-------	-----------------------	------------------------------------	----------------

4.3" WQVGA	480 x 272	550	400:1
------------	-----------	-----	-------

5.7" QVGA	320 x 240	800	800:1
-----------	-----------	-----	-------

7" WVGA	800 x 480	500	500:1
---------	-----------	-----	-------

8.4" SVGA	800 x 600	450	600:1
-----------	-----------	-----	-------

10.1" WSVGA	1024 x 600	250	500:1
----------------	------------	-----	-------

10.1" WXGA	1280 x 800	300	1300:1
------------	------------	-----	--------

10.1" WUXGA	1920 x 1200	380	800:1
----------------	-------------	-----	-------

10.4" SVGA	800 x 600	800	700:1
------------	-----------	-----	-------

Model	Resolution (pixel)	Brightness (cd/m <sup>2</sup> )	Contrast Ratio
-------	-----------------------	------------------------------------	----------------

10.4" XGA	1024 x 768	470	3000:1
12.1" SVGA	800 x 600	500	700:1
12.1" XGA	1024 x 768	500	700:1
12.1" WXGA	1280 x 800	500	1000:1
13.3" FHD	1920 x 1080	400nits	800:1
14" FHD	1920 x 1080	400nits	800:1
15" XGA	1024 x 768	250 / 350 / 450 / 800 / 1600	800:1
15.6" HD	1366 x 768	220 / 400	400:1 / 800:1

Model	Resolution (pixel)	Brightness (cd/m <sup>2</sup> )	Contrast Ratio
-------	-----------------------	------------------------------------	----------------

15.6" FHD	1920 x 1080	250 / 400 / 500 / 1000	700:1
17" SXGA	1280 x 1024	350	1000:1
17.3" FHD	1920 x 1080	400	600:1
18.5" FHD	1920 x 1080	500	1000:1
21.3" QXGA	2048 x 1536	800	1400:1
21.5" FHD	1920 x 1080	250 / 300 / 350 / 400	1000:1
23" FHD	1920 x 1080	300	1000:1
23.8" FHD	1920 x 1080	250 / 400 / 625	1000:1

Model	Resolution (pixel)	Brightness (cd/m <sup>2</sup> )	Contrast Ratio
-------	-----------------------	------------------------------------	----------------

24" WUXGA	1920 x 1200	300 / 850 / 900	1000:1
-----------	-------------	-----------------	--------

27" FHD	1920 x 1080	400 / 1000	1000:1
---------	-------------	------------	--------

27" QHD	2560 x 1440	350	1000:1
---------	-------------	-----	--------

27" UHD 4K	3840 x 2160	400 / 800	1000:1
------------	-------------	-----------	--------

32" UHD 4K	3840 x 2160	700	1350:1
------------	-------------	-----	--------

- **Medical Display**

- 

Model	Resolution (pixel)	Brightness (cd/m <sup>2</sup> )	Contrast Ratio
-------	-----------------------	------------------------------------	----------------

19" SXGA	1280 (x3) x 1024	300 / 700 / 1000	1000:1
----------	---------------------	------------------	--------

21.3" QXGA	2048 (x3) x 1536	1100	1800:1
------------	---------------------	------	--------

23.8" FHD	1920 (x3) x 1080	300 / 400 / 625	1000:1 / 1800:1
-----------	---------------------	-----------------	-----------------

27" QHD	2560 (x3) x 1440	350 / 550 / 900	1000:1 / 1800:1
---------	---------------------	-----------------	-----------------

Model	Resolution (pixel)	Brightness (cd/m <sup>2</sup> )	Contrast Ratio
-------	-----------------------	------------------------------------	----------------

27" UHD 4K	3840 (x3) x 2160	500 / 800	1000:1 / 1300:1
32" UHD 4K	3840 (x3) x 2160	700 / 850	1350:1 / 1800:1

- Information may change without notice.