

Industrial Display Application

Size	Resolution	Mode	Electrical Interface	Brightness (nits)	Operating Temp.(°C)
5.7"	640 x 480	TN	TTL	450	-30~85
7"	800 x 480	AAS	LVDS	350	-30~80
7"	800 x 480	TN	LVDS	500	-30~85
7"	800 x 480	TN	TTL	500	-30~85
7"	800 x 480	TN	TTL	600	-30~85
8"	800 x 480	TN	TTL	600	-30~85
9"	1280 x 720	AAS	LVDS	open cell	-30~80
10.1"	1280 x 800	AAS	LVDS	500	-20~70
10.1"	1280 x 800	AAS	LVDS	350	-10~60
10.4"	960 x 1280	AAS	LVDS	900	-40~85
10.4"	800 x 600	TN	LVDS	400	-30~85
10.4"	800 x 600	TN	LVDS	400	-20~70
10.4"	640 x 480	VA	TTL	500	-30~80
10.4"	1024 x 768	VA	LVDS	350	-20~70
10.4"	1024 x 768	VA	LVDS	500	-30~80
10.4"	1024 x 768	AAS	LVDS	500	-30~85
12.1"	800 x 600	VA	LVDS	450	-30~85

Size	Resolution	Mode	Electrical Interface	Brightness (nits)	Operating Temp.(°C)
12.1"	1280 x 800	AAS	LVDS	600	-30~80
12.1"	1280 x 800	AAS	LVDS	400	-20~70
12.1"	1280 x 800	AAS	LVDS	open cell	-30~80
12.1"	800 x 600	VA	LVDS	600	-30~80
12.1"	1024 x 768	AAS	LVDS	600	-30~85
12.1"	1024 x 768	AAS	LVDS	500	-30~70
12.1"	1024 x 768	AAS	LVDS	open cell	-30~85
15"	1024 x 768	VA	eDP	400	-20~70
15"	1024 x 768	VA	eDP	400	0~60
15"	1024 x 768	VA	eDP	450	-20~70
15"	1024 x 768	VA	eDP	350	-20~70
15"	1024 x 768	VA	LVDS	open cell	-30~80
15"	1024 x 768	VA	LVDS	500	-30~80
15"	1024 x 768	VA	LVDS	350	-20~70
15"	1024 x 768	VA	LVDS	300	-20~70
15.4"	1280 x 800	TN	LVDS	450	-30~80
15.6"	1366 x 768	TN	LVDS	300	0~60
15.6"	1366 x 768	TN	LVDS	500	-10~60

Size	Resolution	Mode	Electrical Interface	Brightness (nits)	Operating Temp.(°C)
15.6"	1920 x 1080	AAS	eDP	450	0~60
15.6"	1920 x 1080	AAS	LVDS	450	-30~85
15.6"	1920 x 1080	AAS	LVDS	open cell	-30~85
17"	1280 x 1024	TN	LVDS	250	0~50
17"	1280 x 1024	TN	LVDS	250	-30~80
17"	1920 x 1200	VA	LVDS	720	-20~80
18.5"	1366 x 768	TN	LVDS	300	0~60
20"	1920 x 1080	VA	eDP	350	0~50
20"	1920 x 1080	VA	LVDS	450	0~50
21.5"	1920 x 1080	AAS	LVDS	350	0~60
21.5"	1920 x 1080	AAS	LVDS	400	0~60
23.8"	1920 x 1080	AAS	LVDS	350	0~50
23.8"	1920 x 1080	AAS	LVDS	450	0~60

Size	Resolution	Mode	Electrical Interface	Brightness (nits)	Operating Temp.(°C)
26"	1920 x 1200	VA	LVDS	350	0~50

