

TPM-3619PH

Arestech

19" IP66 Wireless HDMI Stainless Steel Industrial Projected Capacitive Touch Monitor



Features

- Full IP66 Stainless Steel 316 Flat Panel Design
- Wireless Communication up to 20 Meters
- Remote Control Distance up to 5 Meters
- Two-way Touch Control & Interaction
- Beveled Edges Make Water Slip off Easily

Applications

- Food & Beverage
- Pharmaceutical
- Factory Automation

→ Ordering Information

Part No.	Description
TPM-3619PH-B6A1	19" 4:3 (1280 x 1024), 350 nits, Stainless Steel 316 Full IP66 Protection, Projected Capacitive Touch, 1x Wireless HDMI, 1x VGA, 2T2R Wi-Fi, IR control, DC 12 V, M12 Connector

→ Packing List

Description
1 x TPM-3619PH
1 x Remote Control

→ Optional Items

Part No.	Description
APW-60M12V-01	12V, 60W, 5A, 5-pin M12 Connector (US)
APW-60M12V-02	12V, 60W, 5A, 5-pin M12 Connector (EU)
AKT-VGA2M12-M	M12 Connector to DB15 Male Cable, 2m

→ Specifications

Model	TPM-3619PH-B6A1	
LCD Panel	Panel Size	19"
	Panel Type	LCD Panel
	Aspect Ratio	4:3
	Resolution	1280 x 1024 (SXGA)
	Viewing Angle	85 x 85 (H) x 80 x 80 (V)
	Brightness	350 cd/m2
	Contrast Ratio	1000:1
	Response Time	20 msec
Touchscreen	Touchscreen Type	Projected Capacitive
	Surface Hardness	3 Mohs
	Durability	N/A
	Transparency	80% (±3%)
	Interface	N/A
Display	HDMI	1x Wireless HDMI
	DP	N/A
	VGA	1x VGA (M12 Connector)
	DVI	N/A
OSD Control	Function Keys	6 Keys: Menu, Up, Down, Auto Adjust, Monitor Power On/Off, Function Key
Remote control	IR board	Reaches up to 5 Meters
Power	Power Input	12V DC
	Power Connector	M12 Connector
	Power Consumption (Max)	1.5A @ 12V (18W)
Mounting	Type	VESA (75 x 75, 100 x 100, 200 x 100 mm) / Wall Mount / Yoke Mount / Pipe Mount (Optional)
Environment	Operating Temperature	-10~50°C (14~122°F)
	Storage Temperature	-20~60°C (-4~140°F)
	Humidity	5~95% @ 40° C, Non-condensing
	Vibration	5-500 Hz, 0.026 G ² /Hz, 2.16 Grms, X, Y, Z, 1 Hour per Axis
	Shock	20 G, IEC 60068-2-27, half sine, 11 ms Duration
General	Certification	CE / FCC
	Ingress Protection	Full IP66
	Material	Stainless Steel 316, Brush Finished
	Dimensions (W x H x D)	499 x 430.8 x 66.9 mm (19.65" x 16.96" x 2.63")
	Net Weight	9.81 kg (21.63 lb)

TPM-3619PH

Arestech

→ Dimensions

