

Product Specification

Size	Resolution	Part No.	Interface	Brightness	TFT Type	Operation Temp.	AA	OD
2.8"	240x320	OT028AQUDDN-01	MCU	200	TN		43.2*57.6	50*69.2*2.4
3.5"	320x240	OT035AQDDDN-02	TTL	380	TN		70.08*52.56	76.9*63.9*3.9
4.3"	480x272	OT043AWDDDT-03	TTL	450	TN		113.5*73.0*6.5	95.04*53.856
7"	800*480	OT070QGDDL00	LVDS	1000	TN	-20°C~70°C	152.4*91.44	165*106*4.8
7"	800*480	OT070MADDLV-10	LVDS	1000	TN	-20°C~60°C	153*90	165.75*105.39*5.0
8"	800*600	OT080FSDDDV-H0	TTL	1000	TN	-20°C~70°C	162*121.5	183*141*10.3
8"	1024*768	OT080IA03	LVDS	350	IPS	-20°C~60°C	162.05*121.54	174.0*136.0*2.5
8.4"	800*600	OT084DSUDLV-00	LVDS 18bits	400	TN	-20°C~70°C	170.4*127.8	203*145.9*5.7
8.4"	800*600	OT084HSUDLV-00	LVDS 24bits	800	TN	-20°C~70°C	170.4*127.8	203*145.9*5.7
8.4"	800*600	OT084ISUDLV-03	LVDS 24bits	600	TN	-20°C~70°C	170.4*127.8	199.5*149.0*9.75
8.4"	800*600	OT084ISUDLV-02	LVDS 24bits	1000	TN	-20°C~70°C	170.4*127.8	199.5*149.0*9.75

Size	Resolution	Part No.	Interface	Brightness	TFT Type	Operation Temp.	AA	OD
8.4"	1024*768	OT084AXWDLV00	LVDS	600	IPS	-30°C~80°C	170.8*128.1	199.5*149.0*9.8
8.4"	1024*768	OT084AXWDLV00	LVDS	1000	IPS	-30°C~80°C	170.8*128.1	199.5*149.0*9.8
9"	800x480	OT090EGDDLTL-00	LVDS	400	TN	-20°C~70°C	198*111.696	210.7*127.065*15
9.7"	1024*768	OT097IA14	LVDS	450	IPS	-10°C~50°C	196.6*147.45	210.16*164.25*2.85
10.1"	1280x800	OT0101IA13	LVDS	300	IPS	0°C~50°C	216.51*135.6	229.51*149.1*2.48
10.1"	800x1280	OT101ZPHMWN	MIPI	400	MIPI	-10°C~50°C	135.36*216.58	143*228.6*2.50
10.1"	1200x1920	QT10121035-00	MIPI	400	MIPI	-10°C~50°C	135.36*216.58	143.0*228.6*2.6
10.1"	1920x1200	OT101ZEWDLNH0	LVDS	1000	IPS	-10°C~50°C	216.81*135.5	229.46*149.1*4.6
10.4"	1024x768	OT104KXWDLV00	LVDS	600	IPS	-20°C~70°C	211.2*158.4	236*174.3*10.6
10.4"	1024x768	OD104KXWDLVH0	LVDS	1000	IPS	-20°C~70°C	211.2*158.4	236*174.3*10.6
12.1"	1024 x768	OT121EXWDLT-00	LVDS	1000	IPS	-30°C~85°C	245.76*184.32	279.0*209.0*9.0
12.1"	1280x800	OT121ZBWDLV-00	LVDS	400	IPS	-20°C~70°C	261.12*163.2	278.0*184.0*10.0
15"	1024*768	OT150CXDDLH-H1	LVDS	1000	TN	-20°C~70°C	304.128*228.096	326.5*253.5*15.66
15.6"	1920*1080	OT156ZBWDLN-00	LVDS	450	IPS	-30°C~85°C	344.16*193.59	363.8*215.9*9.3

Size	Resolution	Part No.	Interface	Brightness	TFT Type	Operation Temp.	AA	OD
18.5"	1366x768	OT185ZOWDLN-00	LVDS	1000	TN	-20°C~70°C	409.8*230.4	430.0*254.6*16.4
21.5	1920*1080	OT215BFWDLV-H0	LVDS	400	IPS	0°C~50°C	476.64*268.11	495.6*292.2*19.56
21.5	1920*1080	OT215ZFWDLV00	LVDS	1000	IPS	-20°C~70°C	476.64*268.11	495.6*292.2*19.56